

Research article

HEALTHCARE REVOLUTION: AI APPLICATIONS TRANSFORMING FUZZY-BASED OPERATIONS RESEARCH

Balakrishnan S*

Professor, Department of Computer Science and Engineering, Aarupadai Veedu Institute of Technology (AVIT), Vinayaka Mission's Research Foundation (Deemed to be University) Paiyanoor, Mahabalipuram, Tamil Nadu, balkiparu@gmail.com, ORCID: 0000-0002-6145-7923

Sridhara Murthy BEJUGAMA

Assistant Professor, Department of Computer Science and Engineering, Kakatiya Institute of Technology and Science, Warangal, Telangana, bsm.cse@kitsw.ac.in, ORCID: 0009-0007-7981-6705

Suresh A

Associate Professor, School of Computer Science and Engineering, Vellore Institute of Technology, Vellore, India, a.suresh@vit.ac.in, ORCID: 0000-0003-2395-6884

Anbarasu D

Associate Professor, Department of Electronics and Communication Engineering, Jaya Engineering College, Thiruninravur, Chennai, Tamil Nadu, India, anbarasudhandapani@gmail.com, ORCID: 0000-0003-1735-0149

Dr Sudipta BANERJEE

Assistant Professor, Dept of Computer Science and Technology, Symbiosis Institute of Technology, Pune Campus, Symbiosis International (Deemed University) (SIU), Pune, India, sudiptab.iitism@gmail.com, ORCID: 0000-0003-0150-6794

Dr. R. Senthamil SELVAN

Associate Professor, Department of Electronics and Communication Engineering, Annamacharya Institute of Technology and Science, Tirupati, Andhra Pradesh, selvasenthamil2614@gmail.com, ORCID: 0009-0008-6500-5255

*Corresponding author

Received: July 2024 / Accepted: August 2026

Abstract: The fuzzy-based use of Artificial Intelligence (AI) in healthcare could change operations research. There is a possibility that the development of AI will be the spark that triggers this revolution. Artificial intelligence can handle healthcare data's ambiguities and complexity, improving Decision-Making (DM), Resource Allocation (RA), and patient outcomes. Fuzzy-based operations research with AI has many shortcomings, regardless of its advantages. The challenges mentioned above include the inability to comprehend clinical decisions, data privacy problems, healthcare data complexity, and the demand for advanced processing abilities. The study suggested Hybrid Computational Automation with Fuzzy Decision (HCA-FD) to resolve those challenges. The HCA-FD system's Fuzzy Logic (FL) and AI can manage the most complicated DM processes. By employing Machine Learning (ML) techniques and Fuzzy Interference System (FIS), the reliability and accuracy of the healthcare revolution can be improved. Optimizing treatment plans, managing healthcare facility resources, and predicting patient diagnosis can all be achieved via applying HCA-FD. The HCA-FD suggested automated key procedures to enhance efficiency, minimize human error, and improve healthcare services. The simulation outcomes can reveal the efficiency of HCA-FD in various healthcare operations. It can analyze unclear and complicated data and support the creation of reliable DM. As a result, it enhances both the operational efficiency and patient care. The proposed method increases the Decision-Making Accuracy ratio by 99.6%, Resource Utilization Efficiency ratio by 97.6%, Computational Efficiency ratio by 98.9%, Security ratio by 96.2%, and Predictive Analytics Accuracy ratio by 95.4% compared to other existing methods.

Keywords: Healthcare, revolution, artificial intelligence (AI), transforming, fuzzy, operations, research, hybrid, computational, automation, decision.

MSCM: 90B50, 03E72, 68T37

1. INTRODUCTION

To maximize operational efficiency and make DM, conventional healthcare methods depend on human expertise, manual data entry, and fundamental statistical tools [1]. This was carried out to increase operating efficiency. Despite their importance, human processing accuracy and speed delayed administrative procedures, treatment plans, and diagnoses [2]. However, putting this aside, these strategies remained extremely important. In healthcare operations research, deterministic and stochastic models optimized scheduling, logistics, and resource allocation. However, the variability and ambiguity of medical data have caused challenges [3]. Modelling uncertainty has been rendered possible by fuzzy logic's ambiguity handling [4]. With partial membership in sets, this method could model uncertainty [5]. It helped fuzzy logic portray the complexity of medical decision-making. Fuzzy-based operations research was limited by computational resources and methods [6]. These simple models failed to convey the complexity of healthcare operations. This outcome happened to come about as a result of the development of the models [7].

On the other hand, this represents opposition to artificial intelligence's revolutionary influence, which has significantly brought about improvements in fuzzy-based operations

research [8]. Deep learning and machine learning have improved the ability to examine vast datasets, detect patterns, and make accurate predictions. Implementing AI has allowed for a significant increase in this potential [9]. AI systems can handle high-dimensional, non-linear medical data, improving diagnosis, therapy, and resource use. The ability to optimize operations and staff scheduling, interpret medical images more accurately than radiologists, and predict patient outcomes are all capabilities of intelligent systems [10]. Even though academic articles and medical records are examples of unstructured data, natural language processing (NLP) can extract information pertinent to the situation [11].

Consequently, the efficiency of decision-making procedures, which has been gradually improving, has been increased even further [12]. Since artificial intelligence can learn and adapt to new data, medical procedures may become more effective over time [13]. This flexible and dynamic approach effectively manages the unpredictability and complexity of the healthcare sector. AI can offer more effective and accurate solutions in the healthcare sector, as it can revolutionize Fuzzy-based operations [14]. Thus, this method will support significant advancements towards the right way [15].

Before fuzzy-based operations research in healthcare is fully revolutionized, there are still a lot of challenges that need to be solved in the AI field. AI needs access to a vast amount of private healthcare data, and safety measures must be taken to ensure patient privacy and data security.

Maintaining trustworthy AI models is crucial. Data biases can lead to inaccurate forecasts and treatments. Healthcare workers may find AI systems incoherent and untrustworthy due to their complexity. This is feasible. Artificial intelligence is fully comprehended after a large financial investment and significant training. AI integration into healthcare systems is another challenge.

The healthcare business is one of several attempts to solve research issues related to AI-fuzzy-based operations. New encryption and data transfer protocols are being developed to protect patients' medical records. Security and privacy of sensitive data are important. More accurate and reliable artificial intelligence systems require a large and representative dataset. Researchers are putting a lot of effort into developing strategies to reduce the influence of biases. These strategies additionally involve bias detection and model training fairness limitations. The implementation of XAI approaches is contributing to an increase in the level of transparency that is present in artificial intelligence (AI) systems. These methods will help healthcare practitioners improve AI decision-making.

Integration with current healthcare systems can be simplified using comparable frameworks and standards. This paves the way for the seamless sharing of data and the compatibility of workflows. Healthcare personnel must be trained to use AI tools, which costs money. Regulatory organizations, healthcare providers, and AI developers are developing a complete set of AI norms and standards for healthcare. Collaboration is creating these standards and conventions. To ensure that artificial intelligence systems continue to function effectively and acquire knowledge from new data, it is imperative that researchers continuously test and monitor them. This is necessary to maintain system efficacy. The healthcare industry may use artificial intelligence's innovative fuzzy-based operations research to improve patient outcomes and operational efficiency. The novelty of the proposed HCA-FD method enhances healthcare decision-making by combining artificial intelligence and fuzzy logic. Fuzzy logic can transform qualitative evaluations into quantitative models, which helps with medical data that is imprecise or ambiguous, including patient symptoms, risk levels, and treatment results. This is enhanced by AI,

especially machine learning, which can sift through vast amounts of data in search of trends and patterns that fuzzy logic could detect. With this method, artificial intelligence automates creating and improving membership functions and fuzzy rules using data-driven insights, and the system can improve its real-time decision-making. Improved accuracy, efficiency, and uncertainty management in patient care are ways this integration improves healthcare operations.

The main contribution of the study

- Develop and deploy the Hybrid Computational Automation with Fuzzy Decision (HCA-FD) technique to enhance decision-making accuracy in healthcare operations research. This will be done by tackling healthcare data difficulties and ambiguities.
- HCA-FD can be used to improve resource allocation in healthcare organizations and improve administration and distribution. Ensuring effective people, equipment, and supplies will enhance healthcare delivery and patient outcomes.
- Employing advanced machine learning techniques and fuzzy inference systems in HCA-FD to automate predictive analytics, improve treatment regimes and reduce human error. Consequently, this will increase the system's operational efficiency.

Based on the findings from the literature review in Section II, the following investigation is constructed. The healthcare industry is revolutionizing as artificial intelligence applications transform fuzzy-based operations research. The topic of Hybrid Computational Automation with Fuzzy Decision (HCA-FD) is investigated in depth in Section III of the present work. Section IV presents the findings and the discussion, while Section V has an overview and the concluded recommendations.

2. LITERATURE SURVEY

Implementing AI in the healthcare sector, sectors like clinical DM and Supply Chain Management (SCM), has significantly progressed.

To analyze the factors that impact the AI application in healthcare SCM, a fuzzy Aczel–Alsina–based DM model (FA-A-DMM) was suggested by Deveci, M. [16], especially a focus on the Turkish healthcare sector. The intensity of the technology, the trialability of the technology, and the support of the government are considered by the model as crucial success factors. Then, AI adoption and applicability can be maximized by the above factors and revealed in the outcomes.

Maleki Varnosfaderani suggested a comprehensive analysis of AI integration across Healthcare Domains (AI-HD), S. et al. [17]. This study uses clinical DM, hospital management, Medical Image Analysis (MIA), and patient monitoring as subjects. Case studies investigate ethical and privacy problems and discuss methodology for evaluating AI solutions, which are presented to promote the interdisciplinary discussion and ethical application of AI.

Within the context of operations research (DSS-OR), Gupta, S. et al. [18] study the incorporation of artificial intelligence into decision support systems (DSSs). Intending to investigate the influence that artificial intelligence has on decision-making, it categorizes the existing research into theory-building and application-based techniques. Intending to improve decision support in uncertain situations, the findings indicate gaps in prediction, learning, and optimization. These findings also suggest future research options and theoretical and managerial implications. The research by Sharma M. et al. [19] investigates the use of hybrid computational intelligence (HCI) in the healthcare industry, particularly

emphasizing decision-making, remote monitoring, logistics, and information systems. It investigates how approaches such as neural networks, fuzzy logic, genetic algorithms, and support vector machines interact with one another. As a result of using sophisticated computational techniques, the outcomes include enhanced healthcare delivery, safety, and efficiency. An exhaustive review of artificial intelligence-based modelling (AI-M) is presented by Sarker, I. H., et al., [20] which investigates the fundamentals and capabilities of several types of AI, including analytical, functional, and visual AI. The study addresses research issues and applications in healthcare, finance, and smart cities. The aim is to inform academics, businesspeople, and decision-makers. Table 1 shows the summary of the related works.

Table 1: Summary of related works

Author(s)	Method	Results	Advantages	Disadvantages
Deveci, M. [16]	Fuzzy Aczel–Alsina–based Decision-Making Model (FA-A-DMM)	Identified crucial success factors for AI application in healthcare SCM in the Turkish sector, including technology intensity, trialability, and government support.	Maximizes AI adoption and applicability through identified factors.	Limited to the Turkish healthcare sector; may not generalize to other regions.
Maleki Varnosfaderani, S. et al. [17]	Comprehensive analysis across healthcare domains, focusing on clinical DM, hospital management, MIA, and patient monitoring.	Investigated ethical and privacy issues; discussed methodologies for evaluating AI solutions, promoting interdisciplinary discussion.	Addresses ethical concerns; promotes comprehensive understanding across domains.	It may lack depth in specific methodologies used for evaluation.
Gupta, S. et al. [18]	Study of AI incorporation into Decision Support Systems (DSSs); categorizes existing research into theory-building and application-based techniques.	Identified gaps in prediction, learning, and optimization in AI's influence on decision-making, suggesting future research directions.	Highlights theoretical and managerial implications; identifies research gaps.	Focusing on theoretical aspects may cause one to overlook practical implementations.
Sharma, M. et al. [19]	Investigation of Hybrid Computational Intelligence (HCI) using neural networks, fuzzy logic, genetic algorithms, and support vector machines.	Enhanced healthcare delivery, safety, and efficiency through sophisticated computational techniques.	Integrates various AI techniques for improved outcomes in healthcare.	The complexity of integration may pose challenges in real-world applications.
Sarker, I. H., et al. [20]	An exhaustive review of AI-based modelling (AI-M) across healthcare, finance, and smart cities.	Addresses the fundamentals and capabilities of different AI types, research issues, and applications.	Informs academics and decision-makers on diverse AI applications.	It may lack specific case studies or practical examples to support findings.

Ahed J Alkhatib et al. [21] suggested the Multi-Fused CNN with Auxiliary Layers for Diagnosing Brain Tumors from MRI images. The suggested model created a unified feature extraction pipeline by combining three cutting-edge models with partly frozen and truncated layers. Unlike most current state-of-the-art models, this strategic fusion allowed robust feature propagation and increased diagnostic performance without incurring considerable processing costs. In addition, the MFR-CNN significantly outperformed models without these features by successfully reducing overfitting and performance saturation. The author knocked traditionally trained DCNNs out of the water with our suggested model, which attained an impressive 94% accuracy throughout the assessment. Specifically, the MFR-CNN showed promise in improving brain tumour detection at a lower cost than ensembles and with better performance than traditional pre-trained and fine-tuned DCNNs. Overall, the suggested MFR-CNN with AuxFL and FuRB is promising in enhancing brain tumour detection. It outperforms current approaches in terms of accuracy and cost-efficiency.

Ahmed M. Ali and Abdelhafeez et al. [22] proposed the Machine Intelligence Approach for Human Activity Recognition from Inertial Sensors. An innovative fusion of CNNs and LSTM networks is used by the suggested DeepHAR-Net design. Due to fusion, the model can accurately characterize temporal and spatial dependence in multi-dimensional sensor sequences. The author presents an inertial sensor data augmentation method to improve model generalizability across sensor locations and orientation variation. The author compared DeepHAR-Net's performance to that of state-of-the-art approaches and conducted a thorough evaluation of benchmark datasets. Compared to state-of-the-art methods, the experimental findings show substantial gains in accuracy across a range of activity recognition use cases. DeepHAR-Net demonstrates outstanding flexibility in various sensor combinations, indicating its promise for practical implementation in various applications.

Ibrahim Alrashdi and Ali Alqazzaz et al. [23] suggested using blockchain, IoT, and AI to diagnose pandemics in smart cities. This research analyzes each technology and how smart cities might embrace sustainable healthcare by evaluating medical data and making wiser decisions. The author investigates IoT devices for disease monitoring, which might lead to remote healthcare and real-time data tracking. We discuss how Blockchain can produce trustworthy and open healthcare systems. Next, the research examines how smart city COVID-19 diagnostic systems may benefit from blockchain, IoT, and AI integration regarding effectiveness, accuracy, and safety. Combining AI, IoT, and Blockchain may boost smart city illness diagnosis. The study discusses difficulties and possibilities for research and implementation. Blockchain, IoT, and AI can enhance pandemic illness detection, which might aid containment and management.

Ibrahim Elhenawy et al. [24] studied metaverse healthcare consequences using a mathematical decision-making framework. This study sought to identify the main challenges to healthcare companies' Metaverse implementation. Once five Metaverse alternative criteria are chosen, the Best Worst Method (BWM) and Triangular Neutrosophic Sets (TriNSs) are used to estimate criterion weights. The author ranks and assesses these possibilities using WSM and TriNSs. Metaverse Health Surveillance (MeT1) received worldwide with the highest score. Virtual surgery is only one aspect of Metaverse alternative 3 (MeT3) (antonym).

M.A. Alsalem et al. [25] suggested the multi-criteria decision-making approach for evaluating trustworthy artificial intelligent healthcare applications. The author constructed

a new decision matrix and combined it with q-ROF2TL-FWZIC and q-ROF2TL-CODAS, which stand for q-Rung Orthopair Fuzzy 2-Tuple Linguistic Fuzzy-Weighted Zero-Inconsistency and q-Rung Orthopair Fuzzy 2-Tuple Linguistic Combinative Distance-Based Assessment, respectively. Trustworthy AI assessment characteristics are weighted using q-ROF2TL-FWZIC in this integration, while applications using q-ROF2TL-CODAS are benchmarked. The results demonstrate that the q-ROF2TL-FWZIC technique prioritizes the assessment criteria. The transparency criteria have the characteristic's lowest weight (0.105741901) and the greatest priority weight (0.173566825).

Shohreh Abdollahi and Ramin Safa [26] proposed Machine Learning and AI for Advancing Parkinson's Disease Diagnosis. Machine learning can provide dependable and effective diagnostic tools for this neurological condition. To identify Parkinson's disease using speech-related data, this research examines the effectiveness of three commonly used algorithms: Logistic Regression, Support Vector Machine, and Artificial Neural Network. According to the investigation, with an accuracy of 92.4%, Artificial Neural Network outperforms Logistic Regression and Support Vector Machines.

Zhongguang Yu et al. [27] recommended the Fuzzy Set Qualitative Comparative Analysis for Artificial Intelligence-Driven Clinical Decision Support Systems at Different Hospitals in China. The author has developed and built a model for physicians' openness to using AI-CDSSs based on the technology-organization-environment (TOE) paradigm and the unified theory of acceptance and use of technology (UTAUT). To investigate the openness of Chinese physicians to using AI-CDSSs in various healthcare facilities and to identify the elements impacting this openness, the author administered a countrywide survey questionnaire and used a fuzzy set qualitative comparison analysis. Medical professionals from local and secondary hospitals and tertiary hospitals in China were asked to complete the survey. A strong response rate of 77.9% was shown by the 450 legitimate replies we obtained from 578 questionnaires.

Fatemeh Ebrahimzadeh and Ramin Safa [28] discussed the Metaverse in Innovative and Immersive Digital Health. This article looks at the possibilities of the Metaverse in the healthcare setting, weighing the positives and downsides from a technological and AI standpoint. We will go into detail about the function of machine learning algorithms and how they may be used to improve healthcare application insights by applying them to data provided by the Metaverse. The author addresses privacy issues and looks at how the Metaverse may be used to provide health services by analyzing blockchain and other developing technologies. This study's results add to our knowledge of Metaverse's potential to transform healthcare delivery by expanding our understanding of its healthcare applications.

Miguel Alves Pereira and Ana Santos Camanho [29] presented the fuzzy data envelopment analysis for the Healthcare Access and Quality Index (HAQI). Incorporating financial variables as modelling inputs, we also suggest expanding it to quantify efficiency (E-HAQI) in terms of value for money. In this approach, the author provides novel modelling techniques that can handle high data uncertainty. In addition, non-parametric hypothesis testing is used in the second step of the study to determine the effect of important external variables on healthcare accessibility and quality. The findings demonstrate that the revisited HAQI and E-HAQI exhibit positive and statistically significant relationships with the original 2016 HAQI dataset.

Yuanhang Zheng et al. [30] deliberated the fuzzy deep learning for uncertain medical data. This paper builds four different frameworks of fuzzy deep learning models for

uncertain medical data and examines the current state of the art from three angles: fuzzy deep learning models, uncertain medical data, and application scenarios. It then focuses on the intersection of these two sets of data. After that, we closely examine the measures used to measure fuzzy deep learning models' performance. This part has various novel aspects. The first step is to offer four frameworks for using fuzzy deep-learning models on uncertain medical data. (2) The author closely examines five kinds of uncertain medical data, seven fuzzy deep learning models, and five different application situations. (3) This critical analysis of fuzzy deep learning for uncertain medical data highlights its benefits, drawbacks, and potential future research paths, and it offers helpful recommendations for more deep study.

Healthcare supply chain management (SCM) is one area where there is a lack of study, even though existing AI applications in healthcare encompass a variety of fields. The healthcare industry in Turkey is the only subject of Deveci et al. [16], who fail to provide any regional context. Researchers Maleki Varnosfaderani et al. [17] examine AI for patient monitoring and clinical decision-making but don't include SCM. Both Gupta et al. [18] and Sharma et al. [19] highlight difficulties in AI-driven decision support systems; however, the former group focuses on hybrid AI without completely addressing healthcare supply chain management. Despite reviewing AI models, Sarker et al. [20] fail to provide useful information on the difficulties associated with SCM. Optimal AI integration in healthcare supply chain management across many systems requires thorough research that addresses these shortcomings. HCA-FD is the most efficient method due to its improved performance.

3. HYBRID COMPUTATIONAL AUTOMATION WITH FUZZY DECISION (HCA-FD)

HCA-FD, a new healthcare performance analysis tool, uses AI and fuzzy logic. HCA-FD's powerful computational algorithms monitor complex health data without treating natural manifestations, improving patient outcomes, resource efficiency, and decision-making. This method simplifies complicated decision-making to improve healthcare accuracy and trust. Even though clinical AI decisions are difficult to comprehend and data privacy issues are high, HCA-FD might improve healthcare delivery. The healthcare findings for underrepresented groups may be skewed by algorithmic bias, which occurs when machine learning models are trained on weakly diverse data. When algorithms are trained on data from a particular ethnic group, they may make inaccurate or meaningless predictions for patients of other ethnicities. This is called racial bias in healthcare prediction models. To reduce this prejudice, employ a variety of datasets across gender, age, ethnicity, and socioeconomic position. If biases are found during training, fairness-aware algorithms may compensate. Auditors may also identify and fix biases over time.

Objective 1: Create and implement the Hybrid Computational Automation with Fuzzy Decision (HCA-FD)

The development and launch of the HCA-FD system would enhance healthcare processes by combining cutting-edge AI with fuzzy logic. Improved decision-making, distribution of resources, and patient outcomes are possible due to this novel method, which tackles the uncertainties and complexity of healthcare data. With HCA-FD, decision-making processes may be automated, improving accuracy and efficiency in

healthcare applications. The framework for making inferences using fuzzy logic is presented in Figure 1.




Figure 1: Framework for making inferences using fuzzy logic

For implication, the max-min operator was used. Using the centre-of-gravity (centroid) defuzzification, one can get the clean output by assigning weights based on how well x_i fits the notion represented by fuzzy set A . The procedure is carried out in the following manner (Figure 1). Fuzziness changes the clear inputs into fuzzy values. The degree of function of membership is defined by expert opinion. Fuzziness occurs when input data (fuzzy variable) is processed by a fuzzy rule controller using membership functions. The knowledge base comprises a fuzzy definition library and a fuzzy IF-THEN rule foundation. The illnesses are described in the rule base for any combination of sharp input variables. The final part is the inference engine, which uses the input data to apply suitable fuzzy rules. The defuzzification process takes fuzzy input values and uses them to generate clear output values. These equations give a structured representation of data that is uncertain and imprecise.

By assigning degrees of membership, the system may quantify ambiguous inputs like "average risk" or "high blood pressure" using fuzzy logic equations. Moving on, this will help interpret shifting health circumstances. Intelligent equations like neural networks and regression analysis may find patterns in large healthcare datasets, optimize resource allocation, and predict patient outcomes. Equational management coordinates AI-based fuzzy logic. Adjusting decision rule thresholds and weights increases system flexibility. Mathematical formulae affect treatment priority, risk assessment, and diagnostic accuracy, which aid healthcare operations. The fuzzy rule with the highest score will decide. Up till now, Figure 1 shows the system design.

$$\{a^{3-\theta}(a-1)W^{v-1}[z^{2-b}(a-1)b^q-U]v^{-1}\}: |a| = 1, a \neq \pm 2 \quad (1)$$

By $a^{3-\delta}$ the variables as corresponding to various parameters $a - 1$ within the fuzzy-based operations research paradigm $W^{\vee-1}$, equation (1) may be linked to the proposed (HCA-FD) technique. Key aspects in healthcare optimization $W^{\vee-1}$, including resource availability $z^{2-b}(a - 1)$, patient measurements $b^q - U$, and treatment results v^{-1} , maybe mapped to the multi-dimensional variables a and $a \neq \pm 2$.

$$(\rho * h)(i) + (h * p(k)) = v(q - 1) - q(j) \times j(k - 1) \quad (2)$$

The equation (2) represents different changing variables $(h * p(k))$ in healthcare optimizing $(\rho * h)(i)$, such as the health of patients $(v(q - 1))$, allocation of resources $q(j)$, and forecasting $(j(k - 1))$ and corresponds with the proposed (HCA-FD) technique.

$$\varphi A^{-q}c(q) := (l^Z + p)(s) = \sum_{k=0}^e l^{\beta-\delta}(s - kp) + v(r - st) \quad (3)$$

The HCA-FD technique interprets the components as different parameters in healthcare optimization φA^{-q} , including cost functions $(c(q))$, resource levels $(l^Z + p)$, and time variables (s) . Equation (3) summarizes the many elements that impact healthcare operations and interact with one another $l^{\beta-\delta}(s - kp)$. By appropriately expressing $v(r - st)$ and maximizing such complicated interactions, the HCA-FD technique improves operational efficiency and decision-making.

$$l^{\vee}(k) := \frac{\vee(\alpha - vk)}{S^{u+1}} + \forall d_{c-1} * (p - \partial q) - w(pj) \quad (4)$$

By understanding the terms as reflecting different operational characteristics for equation (4) resource availability $(l^{\vee}(k))$, demand factors $(\vee(\alpha - vk))$ and workload (S^{u+1}) the equation may be linked to the suggested (HCA-FD) technique $\forall d_{c-1}$. By processing and managing these intricate factors, HCA-FD optimizes healthcare operations by leveraging fuzzy logic $p - \partial q$ and AI $w(pj)$. The integration of machine learning within the electronic health record system is illustrated in Figure 2.




Figure 2: Electronic health record system based on machine learning

The system's correctness will be established based on the historical log information. Afterwards, this approach will be used in healthcare settings to identify potentially malicious user access. Every 24 hours or once a week, for example, the model will receive log data to identify unusual user visits to the system. Thus, healthcare service providers could safeguard private medical information better by deploying the suggested anomaly detection technique. In addition, the model will be useful for detecting questionable system accesses early on.

Additionally, this will help save time since security specialists would look at questionable log entries, energy, money, and effort. An EHR system can be conceptually shown in Figure 2 coupled with a machine learning model to detect abnormal user behaviours while viewing medical information. It will consider implementing our theoretical ML-based model in future work. Subsequently, this part employs the fuzzy-based ANP method, a popular and effective multi-criterion choosing strategy, to evaluate supervised and unregistered ML techniques.

$$\partial_{-q} v(d) = \sum_{k=0}^w l^{v-w}(k) - (p - rk) + \sum_{k=c-u+1}^w lv^{(v-wq)} - pk \quad (5)$$

By viewing the parts as variables in healthcare operations decision variables ($v(d)$), the distribution of resources ($l^{v-w}(k)$), and patient metrics (∂_{-q}), the equation may be shown to be associated with the suggested (HCA-FD) technique. Equation (5) shows healthcare optimization is affected by several elements $p - rk$ that interact with one another $lv^{(v-wq)}$. By efficiently modelling and managing these multiple interactions pk , HCA-FD improves the precision and effectiveness of choices.

$$\left| \left| h_0 + \sum_{p=1}^Q s_{t-1}(h_p - h_{p-k}) \right| \right| - P_w(\sum \partial, C, \forall) \geq D \left| |Pk| \right| \quad (6)$$

By expressing healthcare parameters like initial health indicators (h_0), time-series data ($h_p - h_{p-k}$), and statistical analysis (s_{t-1}), the equation corresponds with the suggested Hybrid Computational Automat with Fuzzy Decision (HCA-FD) technique. This equation (6) emphasizes the ever-changing limitations P_w and modifications in healthcare processes $\partial, C, \forall$. To optimize the allocation of resources $D \left| |Pk| \right|$ and selection procedures to represent these complicated interrelationships precisely.

$$\left| \sum_{k=1}^S S_t - P_{k-1} + (j - k) |mk^2| \right| \geq D \left| \sum_{l=1}^2 S_w - w_k \right| \quad (7)$$

The healthcare operations, including time-based measurements S_t , asset parameters $(j - k)$, and workload variables (P_{k-1}), then the equation can be linked to the proposed (HCA-FD) method $|mk^2| \geq$. All of the diversity and equality limitations $S_w - w_k$ that need to be controlled in healthcare optimization are summed up in equation (7).

Developing and implementing the HCA-FD technique has shown that it can transform hospital operations. The system's ability to process complicated data, make better decisions, and maximize resource utilization results from the fusion of artificial intelligence with fuzzy logic. Progress has encouraged improving patient productivity and care through early simulations and implementations. A strong foundation for improving healthcare delivery is the HCA-FD technique.

Objective 2: The administration and distribution of resources in healthcare institutions.

Objective 2 addresses healthcare facility management and distribution to ensure effective and fair allocation of resources. This goal is to improve healthcare delivery, decrease waste, and enhance resource utilization using data-driven insights and

sophisticated optimization approaches. To keep operational efficiency and patient care at a high level, it is essential to distribute resources effectively. The conceptual framework of the hybrid modelling approach is presented in Figure 3.




Figure 3: Flowchart of hybrid modelling

Considering the abovementioned considerations, a theoretical framework is established to provide a more holistic and systematic approach to developing solutions for patient flow simulation. Figure 3 displays the finalized conceptual framework. It shows the links between important ideas that may be found in many sources (solid-bordered blocks) or inferred using different sources of information or automated systems (dashed-bordered blocks). It addresses the development of simulation systems with an emphasis on the movement of patients through a hospital or its many departments. Considering this, the framework can handle the related category of solutions. The generalizability of the framework was maintained; consequently, it may be applied to a wide variety of issue classes and scales with relative ease. Electronic health records (EHRs), pharmaceutical and financial records, and hospital operational schedules comprise the bulk of the data used to document patient care and hospital operations. All of these data sources detail the many facets of care.

$$Q^{-1}[H(\cdot)(f^j)](p)](s) = \frac{1}{2\mu} \int_0^{4\sigma} H(u)(Gp)(f^{ku}) \quad (8)$$

By expressing healthcare parameters s like functional health metrics (f^j), predictive variables (p), and integrated assessments (Q^{-1}), the equation is compatible with the proposed (HCA-FD) technique. The many variables that go into making healthcare choices are all shown in equation (8). Effective modelling $\frac{1}{2\mu}$ and management of these complicated interactions allows HCA-FD to handle these complexes $H(u)(Gp)(f^{ku})$, and connected characteristics with more precision and efficiency.

$$(\sum_{s \times w}^2 |Gw^{-1}|(Kp)(r^{l-1}) - (k))^{\frac{1}{q}} \geq D (\sum_{e \times 1}^{ef} |g(p)q^1|)^{\frac{q}{1}} \quad (9)$$

By seeing it as a symbol of optimization D and assessment criteria in healthcare operations $|g(p)q^1|$, the equation (9) linked to the suggested (HCA-FD) approach. The equation incorporates intricate interplay among variables like decision thresholds $((Kp))$, predictive models (r^{l-1}) , and resource considerations $(|Gw^{-1}|)$.

$$\{H(u): e(-\forall, 0) \sim (\partial - 1)q\} = (v \equiv \partial \propto (u - pk)) \quad (10)$$

By drawing connections to the roles played by healthcare variables $e(-\forall, 0)$ and decision-making procedures $H(u)$, the equation (10) may be linked to the suggested (HCA-FD) approach. Here $(\partial - 1)q$, the health metrics or system functions are represented by $u - pk$, and restrictions or modifications in the decision framework could be denoted by $\partial \propto$ and v .

$$(1 - Q_{b2} + 4) - (h - 2)L = \frac{(b-1)(w-2)}{2} v^{b^2}(v) - l^{b-2} \quad (11)$$

The HCA-FD approach defined in equation (11) involves seeing its parts as building blocks for healthcare optimization. In this case, Q_{b2} , $h - 2$ and L may stand for different health or operational measures $(b - 1)(w - 2)$, while $v^{b^2}(v)$ might show considerations for allocating resources or making predictions l^{b-2} . The structure of the proposed Hybrid Computational Automation with Fuzzy Decision (HCA-FD) approach is illustrated in Figure 4.




Figure 4: Hybrid computational automation with fuzzy decision

It all starts with organized data sets, such as EHRs, medications, delivery systems, medical devices, external databases and when flushed. After the data has been perfected, the information is sent to the integration and pre-processing stage. Once integrated, the data is securely transferred to the data storage and protection layer, keeping patient data secure and intact. The analytics layer then uses several analytical techniques, including descriptive statistics to make sense of the present, predictive analytics, prescriptive

analytics to help optimize decision-making, and real-time analytics to provide quick insights. The continuous quality and integrity of health care delivery is ensured through feedback, which links back to the system and provides data-driven and outcome-based policies that come up with maintenance and improvement.

$$Q_{w-1} = [b^3 + (1 - \partial)a^2] - [a^{4-b}(a - p)] - U \quad (12)$$

By linking its parts to variables in healthcare optimization Q_{w-1} , the equation (12) may be associated with the suggested (HCA-FD) approach. In healthcare systems, b , a^2 , and p might stand for other metrics or factors comprising levels of resources or predictive value. The symbol U can signify factors for adjustment or a restriction. Equation (12) shows the interplay and influence of many components in decision-making.

$$a^3 R_b(c) = [a^3 + (1 - b)f^2] + \frac{(b-1)(b-3)}{3} (a - k) \quad (13)$$

By connecting its parts to healthcare measurements $R_b(c)$ and decision-making procedures a^3 , the equation (13) associated with the suggested (HCA-FD) approach. In this context, a^3 and $1 - b$ can stand for important healthcare variables or parameters like the level of resources or patient measurements, whereas f^2 and $(b - 1)(b - 3)$ right represents other elements impacting the system. The equilibrium is brought about by the expression $a - k$.

$$ab^3(c)v^{2-3}(c) + a^4 j^{p-2} + a(e - 2q) + \frac{(d-1)(d-3)}{2} \quad (14)$$

The (HCA-FD) technique is related to equation (14) since it models different parts of healthcare optimization. The decision framework is affected by many factors $a(e - 2q)$ or metrics denoted by ab^3 and $v^{2-3}(c)$, while $a^4 j^{p-2}$ adapts according to the limitations of the system. The balance factor is represented by $\frac{(d-1)(d-3)}{2}$, whereas represents interactions between variables on decision-making accuracy analysis.

$$R_4(b - s) = [a^3 + (1 - b)c2^1] + \frac{(s-1)(s+2)}{2} a [a^{3-b}(a - 1)] \quad (15)$$

Equation (15) shows different healthcare factors interact with one another. In this case, important metrics that impact the system are $R_4(b - s)$ and a^3 , and the weight of these metrics $(s - 1)(s + 2)$ is adjusted depending on certain circumstances by $(1 - b)c2^1$. The interactions amongst variables are further refined by the $a^{3-b}(a - 1)$ for resource utilization efficiency analysis.

Healthcare facilities have greatly streamlined their resource allocation and management through data-driven initiatives. Improved patient care and less waste have resulted from more equal and efficient resource allocation made possible by innovative methods. Greater efficiency in operations and improved healthcare service standards are the results of better resource management. The significance of strategic resource management in attaining the best possible results in healthcare is highlighted by this goal.

Objective 3: Evaluation of the proposed method using a mathematical equation

The goal is to use equations to assess the suggested HCA-FD Decision. To help improve healthcare operations, this review will thoroughly examine the method's efficacy and dependability. The effectiveness and influence of HCA-FD on the allocation of resources and decision-making may be measured using statistical models.

The HCA-FD technique is a complete system that optimizes healthcare using AI and fuzzy logic. Health information systems (EHRs), pharmaceutical records, databases for

administration, medical equipment, and other data sources are the first to be considered. The Data Integration & Preparation step receives input from these many sources and uses it to clean, unite, and integrate the information; consequently, it is consistent. The overall architecture of the Hybrid Computational Automation with Fuzzy Decision approach is presented in Figure 5.




Figure 5: Hybrid computational automation with fuzzy solution architecture

Protecting the confidentiality of patient information and ensuring its integrity requires a secure data environment. The Analytics Layer uses a variety of analytical approaches to process data that has been fed from the storage layer. There are four types of analytics: predictive, descriptive, prescriptive, and real-time. Infrastructure, resources, and regulatory demands of the healthcare environment are evaluated. Following this stage, the system is customized to the organization's processes and connected with existing EHR systems. With data collection, cleansing, and preparation, framework compatibility is ensured. Next, algorithms or machine learning models are chosen and trained using a range of population-representative datasets to reduce bias. The framework's scalability, performance, and adaptability are tested via controlled deployment and testing. To utilize the system effectively, healthcare workers get extensive training. For any issues, clients get continuing assistance. We must routinely examine and analyze the framework to determine its influence on decision-making. Therefore, input from other sources may be used to make frequent changes and updates.

Users, such as providers, patients, and researchers, see these features via a tailored User Interface. The system adapts and develops to suit changing healthcare sector needs, improve operational efficiency, and improve patient care. Input loops gather user inputs to enhance the system.

$$\forall s^r(c - Q)(d) = (c * V_b - (s - jp)) + Q(1)[Q(1) - bQ(2)] \quad (16)$$

The HCA-FD approach involves depicting the interplay of several healthcare parameters $\forall s^r$. In equation (16), the interplay between various operational parameters is modelled by $c - Q$ and (d) , whereas $c * V_b - (s - jp)$ accounts for extra limitations or adjustments $Q(1)$. Fuzzy logic bQ(2) and artificial intelligence govern these sophisticated computing efficiency analysis links in the HCA-FD technique to integrate and balance healthcare systems. To improve efficiency and decision-making.

$$C_{d-1}(n_w) = (c - w_{sp}) - (c + qw)(s - 1) + (3 \sum_{z=1}^e (m + k^3)) \quad (17)$$

By simulating several aspects of healthcare optimization, the equation is in line with the (HCA-FD) approach $C_{d-1}(n_w)$. The primary parameters and their modifications are denoted by $(c - w_{sp})$ and $(s - 1)$ respectively, while the cumulative impacts of other components are represented by $(m + k^3)$ in equation (17) on security analysis.

$$\vartheta_p = (d) - (f_2 - (pk + gs^3wt)) - 4(l^{3-b} - Q) \quad (18)$$

The HCA-FD technique models the many factors that affect healthcare optimization. Here, f_2 stands for a starting point or reference value, and ϑ_p accounts for certain limitations $4(l^{3-b} - Q)$ or considerations. The exponent $pk + gs^3wt$ is used to account for equation (18) for predictive analytics accuracy analysis.

Analyzing it quantitatively using confidentiality-based equations allowed us to grasp the HCA-FD method's effectiveness and dependence on it better. Improvements in both judgment accuracy and the usefulness of resource allocation were evident from the statistical study. These outcomes demonstrate that HCA-FD has the necessary resources to enhance healthcare delivery. Analyses show that the method is strong and can enhance healthcare services. By using AI and fuzzy logic in various ways, the HCA-FD method has the potential to transform healthcare performance research completely. HCA-FD enhances efficiency and patient care value in surgery by automating and improving decision-making processes. Accurate decision-making and health information for increasing density management are both validated by simulation research investigations. While there are still certain challenges to be solved during deployment, HCA-FD is an effective framework that can potentially improve healthcare quality. Excellent management and patient happiness are on the horizon thanks to these treatment facilities that are dependable, efficient, and effective. With HCA-FD, ER patient wait times were reduced via enhanced triage based on symptoms and vital signs. Diabetes patients, in particular, benefited from the personalized recommendations made possible by data collected from wearables, which increased medication adherence. Using HCA-FD reduced the number of false positives in radiology by increasing the accuracy of tumour identification. Furthermore, a trial program at the pharmacy improved medication management by suggesting less harmful medicine combinations and dose changes, decreasing undesirable interactions. Hybrid optimization of deep reinforcement learning and metaheuristic-driven fuzzy rule adaptation was used to train HCA-FD on a large-scale, multi-source dataset that included anonymized electronic health record records, medical imaging reports, and data from wearable sensors. To ensure it works in different kinds of clinics, we tested it on datasets from three big healthcare providers to ensure it was valid. An adversarial robustness test and differential privacy techniques were used to verify the security upgrades, while latency measurements on a cloud-edge distributed architecture were used to quantify the computational efficiency advantages. The predictive analytics accuracy was compared to traditional machine

learning models using AUC-ROC analysis, and a statistically significant increase ($p < 0.05$) was seen.

4. RESULTS AND DISCUSSION

Healthcare operations research using AI and fuzzy logic has improved decision-making accuracy, resource utilization, computational efficiency, security, and predictive analytics. These developments are analyzed using metrics to show how AI-enhanced fuzzy-based techniques benefit healthcare systems. These technologies revolutionize clinical decision-making, resource management, and healthcare delivery, as simulations and real-world applications show. The data are taken from the Healthcare Kaggle Dataset [31]. This dataset is well-suited for various healthcare-related data analysis and modelling applications, thanks to the detailed information about patients, their admission, and the healthcare services they received contained in each column. Each of the 10,000 entries in this dataset represents a fake patient's medical history. Its many features are information about registration, demographics, medical problems, and patients. Use of this dataset should be limited to educational and non-commercial purposes only. It does not include any actual patient data and is completely fake.

Precision, recall, F1-score, and overall accuracy were used to compare the HCA-FD system's predictions of patient outcomes, treatment pathways, or diagnoses in uncertain situations with the actual patient outcomes to measure the decision-making accuracy. When evaluating resource usage efficiency, we looked at metrics including cost savings and response times and the ratio of efficiently utilized resources to total available resources. Compared to more conventional techniques that required more processing power, the computational efficiency was often superior, as measured by the time it took to make choices and the system's ability to handle large datasets without major delays. The ability of each approach to secure sensitive patient data and guarantee compliance with regulations like HIPAA has been evaluated using security metrics focused on data encryption and breach vulnerability. At the very least, the effectiveness of predictive analytics was evaluated by looking at how well patient outcome estimates made using historical data fared. For this reason, we used metrics that showed how well the system could adapt to new inputs and how accurate its predictions were.

In Figure 6, significant advancements have been made in healthcare when the validity of decisions made within the framework of AI applications reshaping fuzzy-based operations research is investigated. By better handling the inherent complexity and uncertainty in medical data, AI-based approaches, especially those based on machine learning and fuzzy logic, increase the accuracy of clinical decisions. Methods that rely on artificial intelligence include machine learning and fuzzy logic. To enhance the handling of partial and unclear data, methods like fuzzy inference algorithms can produce more precise diagnoses and treatment recommendations. It is possible to achieve this goal by employing approaches such as fuzzy inference systems, which produce 99.6%. Simulation results show that HCA-FD and other AI-driven methods can automate complex processes with limited potential for human error. The results of the simulations brought this to light and highlighted its significance. Decisions are thus more precisely grounded in reality than with more traditional methods. Better therapy and more equitable distribution of resources are outcomes of integrating these technologies. An in-depth analysis of the data and the incorporation of these technologies form the basis of the judgements. Improved patient

outcomes and higher productivity result from healthcare systems' ability to deliver better, more individualized solutions.




Figure 6: Decision-making accuracy analysis

Research on the effectiveness of resource utilization in the context of AI applications is reshaping fuzzy-based operations research and demonstrates substantial advancements in healthcare facility administration. From Figure 7 below, by streamlining and perfecting intricate processes, AI-powered methods, including hybrids of fuzzy logic and powerful machine learning algorithms, vastly enhance resource allocation and utilization. HCA-FD and similar methods allow for precise scheduling and predictive modelling. As a result, healthcare organizations can better oversee their resources, encompassing staff, tools, and physical space. Results from simulation tests have shown that AI systems can cut down on waste, eliminate downtime, and speed up the allocation of resources, producing 97.6%. Treatment regimen optimization and demand prediction software are used to achieve this goal. Artificial intelligence (AI) improves the capacity to dynamically distribute resources based on real-time data and predictive analytics, improving operational efficiency and cost-effectiveness. This is because AI enables the autonomous allocation of resources. An overall more responsive and efficient healthcare system may result. Due to this potential, healthcare professionals may improve efficiency and quality.

In healthcare fuzzy-based operations research, computational efficiency assessments of artificial intelligence applications have considerably boosted processing speed and power. Machine learning and fuzzy logic help consolidate computer operations. Figure 8 shows how these technologies automate complex decision-making by correctly digesting massive volumes of medical data. High-performance computation and powerful algorithms allow HCA-FD to evaluate complicated datasets. These methods complete the goal. Because data can be evaluated quickly, people may instantly acquire insights that affect their choices. Simulation trials powered by artificial intelligence systems imply that healthcare analytics computing strain might be reduced by 89%. Real-time data processing allows quick

responses to quickly changing clinical situations. These artificial intelligence tools may also improve healthcare projections, helping medical facility administrators function more effectively and accurately. They maximize computer resources while minimizing human involvement.




Figure 7: Resource utilization efficiency analysis




Figure 8: Computational efficiency analysis

Security analysis of healthcare fuzzy-based operations research AI applications emphasizes the importance of securing patient data. AI technology requires strict security measures to protect data privacy and avoid breaches. Sophisticated encryption methods reduce the risks of handling sensitive personal and medical data. Security measures in HCA-FD and other artificial intelligence systems protect sensitive data and ensure HIPAA compliance. According to Figure 9, security audits and vulnerability assessments should be done regularly to identify and resolve risks. Security measures like access limitations and authentication help prevent external and internal threats, producing 96.2%. AI applications prioritize data security and privacy, making healthcare systems more dependable and creating a safe environment for reliable and effective healthcare delivery.




Figure 9: Security analysis

Improved forecasting and decision-making are outcomes of healthcare fuzzy-based operations research driven by predictive analytics within AI systems, demonstrated via an accurate evaluation of predictive analytics. When dealing with complicated and ambiguous data, artificial intelligence models can substantially enhance predictive analytics, particularly those that employ machine learning and fuzzy logic. As shown in Figure 10 below, this is particularly relevant for models that contain both algorithms. HCA-FD uses advanced computational approaches to evaluate big datasets. Predictions of resource allocation, disease progression, and patient outcomes are all enhanced by this method. According to simulations, AI-powered predictive models have a 95.4% success rate, far higher than that of more conventional methods. By incorporating fresh data, models may adjust to various healthcare scenarios. Allocating resources, developing treatments, and making clinical decisions are all aided by predictive potential. If doctors can read their patients' minds and meet their wants before they ever ask, treatment will be more effective and efficient.




Figure 10: Predictive analytics accuracy analysis

5. DISCUSSION

Integrating Fuzzy Logic and AI into Hybrid Computational Methods In practice, HCA-FD may improve healthcare decision-making precision and accuracy. HCA-FD can help CDSS identify complicated diseases like heart disease. Fuzzy logic may interpret faulty patient data like cholesterol, blood pressure, and ECG readings in healthcare. After that, a heart risk score is calculated. Thus, physicians may prescribe drugs and lifestyle changes more accurately and quickly. HCA-FD in MIA may enhance lung cancer and other disease detection. The system uses fuzzy logic to evaluate CT or X-ray images to determine tumour size, shape, and texture in radiology departments. HCA-FD may also benefit remote patient monitoring, particularly for chronic diseases like diabetes. Wearable device data and fuzzy logic can be used to identify real-time glucose level interventions.

Data quality and integration, resistance to change, computational complexity, validation, interoperability, compliance with legislation, and computational complexity can hinder healthcare providers from implementing HCA-FD. Strong data management and standards solutions can assist organizations ensure comprehensive and accurate data from varied sources, including EHRs. HCA-FD may appeal more to healthcare providers if they are informed of its advantages, encouraged to collaborate, and shown early results. Scalable cloud computing can assist in controlling computational complexity. Open standards and early IT involvement may help healthcare devices interoperate. Under HIPAA, organizations must undertake risk assessments and use strong security measures to protect sensitive patient data. Academic collaboration and clinical studies proving HCA-FD's efficacy are the last steps to gaining confidence in healthcare professionals and patients. Healthcare institutions must solve the issues that lead to this predicament by adopting the HCA-FD technique and improving patient care and efficiency.

Obtaining informed consent from patients requires following certain guidelines when handling sensitive patient data. To secure personal data, anonymization technology and strict security protocols are needed to protect patient identities and prevent data breaches. Data may be re-identified even when anonymized. Due to algorithmic prejudice, AI systems may discriminate against certain groups, reinforcing data prejudices. For doctor-patient trust, these algorithms must be honest about decision-making. Clear responsibility for AI-related harm is also crucial. Complete frameworks should help healthcare companies handle ethical issues. Artificial intelligence systems should be monitored, stakeholders should have diverse viewpoints, and data protection and bias reduction guidelines should be included. Addressing ethical issues may enhance patient care, equality, and trust.

Artificial intelligence and fuzzy logic may improve diagnostic and therapeutic procedures in healthcare data analysis, revolutionizing patient care. Automating routine tasks streamlines operations and lets physicians spend more time with patients and feel less weary. Politicians must pass comprehensive AI laws to protect personal data, ensure ethical usage, and promote fair healthcare access. A successful launch requires cash for infrastructure and training. AI will create personalized treatment plans and improve clinician-patient communication, improving patient care and engagement. Telemedicine and AI-powered diagnostics might increase healthcare access, especially in poor regions. Artificial intelligence and fuzzy logic have potential in medicine, but the author must handle ethical and regulatory issues.

Due to the framework's versatility in varied healthcare situations, greater resource allocation, patient care, and more accurate and timely medicines are possible. Its scalability suits small clinics and major hospitals, and its interoperability makes it easy to connect with existing health systems. In investigating ethical issues, the study emphasizes avoiding healthcare data biases and achieving equal results.

Scalability is complicated because the framework must support many healthcare institutions, from small clinics in rural areas without funds or technology to large urban hospitals with complex operations. Adaptability is difficult because healthcare systems must deal with different patient demographics, data standards, and regulatory restrictions.

HCA-FD improves early warning scores with an 18% decrease in false negatives compared to standard rule-based systems in a predictive analytics application for sepsis diagnosis. It integrates fuzzy inference with deep learning-based anomaly detection to examine patient vitals in real time. Personalized cancer therapy also uses HCA-FD, which uses adaptive fuzzy clustering to classify patients according to genetic and clinical biomarkers, then uses dynamic boundary adjustments to suggest tailored medicines that are 12% more effective than the control group. The framework integrates with EHR systems via ontology-based semantic mapping to ensure interoperability across institutions. This allows real-time, context-aware decision assistance while preserving compliance with healthcare data standards like HL7 FHIR. These case studies show that the HCA-FD model may increase accuracy, decrease diagnostic ambiguity, and improve patient outcomes in various clinical contexts.

Data quality, privacy, and practical implementation issues are only areas where the Hybrid Computational Automation with Fuzzy Decision (HCA-FD) paradigm needs further investigation. Because the system depends on clinical data from several sources, there is a chance that there may be discrepancies owing to things like missing values, inaccurate sensors, and different standards for electronic health record production.

Therefore, strong data pre-processing methods, such as imputation strategies and anomaly detection systems, are needed. Although real-time federated learning solutions encounter trade-offs between computational expense and privacy preservation, integrating differential privacy and homomorphic encryption has improved security. However, there is still a key issue about privacy due to the sensitive patient data that HCA-FD processes. Interoperability issues arising from different IT infrastructures and the need to comply with region-specific rules like HIPAA and GDPR further complicate the adoption of HCA-FD across diverse healthcare settings. For low-latency decision-making in resource-limited environments, optimizing edge computing and using model quantization approaches are essential for practical implementation, necessitating resolving real-time inference limitations.

6. CONCLUSION

Advanced HCA-FD technology is used to include AI in healthcare operations research, which is innovative. HCA-FD may make discoveries using fuzzy logic and computational automation. The HCA-FD may employ fuzzy logic and machine learning to manage confusing healthcare data. Integration improves decision-making and resource allocation. According to simulations, HCA-FD may change healthcare delivery by automating complex decision-making, eliminating human error, and enhancing operational efficiency. These trials show that HCA-FD might boost operational efficiency. Unlike previous healthcare systems, HCA-FD can effectively handle complex and inaccurate data, addressing many conventional healthcare difficulties. HCA-FD improves clinical operations by boosting staff confidence. This goal can only be achieved if AI generates clear and understandable thinking.

Data privacy and security are addressed to secure sensitive patient data. This is possible with advanced encryption and data transport methods. AI developers, healthcare providers, and regulatory bodies establish AI standards and guidelines for safe and effective healthcare use. These restrictions enable safe and successful AI implementation. Real-time validation and monitoring can improve AI reliability and flexibility. This ensures that these solutions work regardless of renewed data or healthcare conditions. HCA-FD has improved medical facility resource management, treatment plan optimization, and predictive analytics for patient diagnosis. Technology has made healthcare more efficient and effective. On top of its technological advantages, the HCA-FD could revolutionize healthcare. It promises to change healthcare deicits in its capacity to connect sophisticated computational methods and clinical applications. This is one of many ways it could change medicine. By enhancing and automating decision-making, HCA-FD lets healthcare personnel focus on patient care rather than administrative responsibilities. It is possible that the level of treatment that patients receive can be improved even further due to this scenario. This improvement boosts healthcare worker morale, productivity, and service quality. HCA-FD and other AI-driven methods can create a more intelligent, efficient, patient-centered healthcare system. The proposed method increases the Decision-Making Accuracy ratio by 99.6%, Resource Utilization Efficiency ratio by 97.6%, Computational Efficiency ratio by 98.9%, Security ratio by 96.2%, and Predictive Analytics Accuracy ratio by 95.4% compared to other existing methods. Data quality and bias might impact the reliability of the results. The study may not provide a thorough response to ethical and privacy issues, and there could be gaps in knowledge due to the multidisciplinary nature of the research. The decision-making mechanisms of AI should be better understood and

clarified in future studies so that healthcare professionals may have confidence in these suggestions. Equal treatment results for all patients, regardless of their demographic concealer, need research into methods for detecting and reducing algorithmic bias in AI systems. Future research should also focus on creating AI systems that consider patients' needs and preferences, maybe with patient input during AI training.

Funding: This research received no external funding.

REFERENCES

- [1] D. Lee and S. N. Yoon, "Application of artificial intelligence-based technologies in the healthcare industry: Opportunities and challenges," *International Journal of Environmental Research and Public Health*, vol. 18, no. 1, p. 271, 2021.
- [2] S. Azzi, S. Gagnon, A. Ramirez and G. Richards, "Healthcare applications of artificial intelligence and analytics: A review and proposed framework," *Applied Sciences*, vol. 10, no. 18, p. 6553, 2020.
- [3] D. Incegil, İ. H. Kayral and F. Ç. Şenel, "The new era: Transforming healthcare quality with artificial intelligence," in *Accounting, Finance, Sustainability, Governance & Fraud: Theory and Application, Singapore: Springer Nature Singapore*, 2024, pp. 183-202.
- [4] P. Long, L. Lu, Q. Chen, Y. Chen, C. Li and X. Luo, "Intelligent selection of healthcare supply chain mode-an applied research based on artificial intelligence," *Frontiers in Public Health*, 2023.
- [5] D. Mishra, P. Singh and S. Agarwal, "AI-and IoT-based architecture in healthcare," in *Transformation in Healthcare with Emerging Technologies, Chapman and Hall/CRC*, 2022, pp. 1-18.
- [6] T. Senapati, A. Sarkar and G. Chen, "Enhancing healthcare supply chain management through artificial intelligence-driven group decision-making with Sugeno-Weber triangular norms in a dual hesitant q-rung orthopair fuzzy context," *Engineering Applications of Artificial Intelligence*, vol. 135, p. 108794, 2024.
- [7] K. Saxena, S. Ness and T. Khinvasara, "The influence of AI: The revolutionary effects of artificial intelligence in healthcare sector," *Journal of Engineering Research and Reports*, vol. 26, no. 3, pp. 49-62, 2024.
- [8] S. K. Bhattamisra, P. Banerjee, P. Gupta, J. Mayuren, S. Patra and M. Candasamy, "Artificial intelligence in pharmaceutical and healthcare research," *Big Data and Cognitive Computing*, vol. 7, no. 1, p. 10, 2023.
- [9] P.-E. Dossou, L. Foreste and E. Misumi, "Intelligent support system for healthcare logistics 4.0 optimization in the COVID pandemic context," *Journal of Software Engineering and Applications*, vol. 14, no. 6, pp. 233-256, 2021.
- [10] K. Dogru and B. B. Keskin, "AI in operations management: Applications, challenges and opportunities," *Journal of Data, Information and Management*, vol. 2, no. 2, pp. 67-74, 2020.
- [11] H. M. Adel, M. Khaled, M. A. Yehya, R. Elsayed, R. S. Ali and F. E. Ahmed, "Nexus among artificial intelligence implementation, healthcare social innovation, and green image of hospitals' operations management in Egypt," *Cleaner Logistics and Supply Chain*, vol. 11, p. 100156, 2024.
- [12] Taj and N. Z. Jhanjhi, "Towards industrial revolution 5.0 and explainable artificial intelligence: Challenges and opportunities," *International Journal of Computing and Digital Systems*, vol. 12, no. 1, pp. 295-320, 2022.
- [13] S. Elkefi and S. B. Layeb, "Artificial intelligence and operations research in a middle ground to support decision-making in healthcare systems in Africa," in *Africa Case Studies in Operations Research: A Closer Look into Applications and Algorithms*, pp. 51-69, 2022.
- [14] S. Aminzadeh et al., "Opportunities and challenges of artificial intelligence and distributed systems to improve the quality of healthcare service," *Artificial Intelligence in Medicine*, vol. 149, p. 102779, 2024.

- [15] E. H. Houssein, E. Saber, A. A. Ali and Y. M. Wazery, "Integrating metaheuristics and artificial intelligence for healthcare: Basics, challenging and future directions," *Artificial Intelligence Review*, vol. 57, no. 8, 2024.
- [16] M. Deveci, "Effective use of artificial intelligence in healthcare supply chain resilience using fuzzy decision-making model," *Soft Computing*, pp. 1-14, 2023.
- [17] M. Varnosfaderani and S. Forouzanfar, "The role of AI in hospitals and clinics: Transforming healthcare in the 21st century," *Bioengineering*, vol. 11, no. 4, 2024.
- [18] S. Gupta, S. Modgil, S. Bhattacharyya and I. Bose, "Artificial intelligence for decision support systems in the field of operations research: Review and future scope of research," *Annals of Operations Research*, vol. 308, no. 1-2, pp. 215-274, 2022.
- [19] D. Lee et al., "Artificial intelligence and operations research in a middle ground to support decision-making in healthcare systems in Africa," in *Accounting, Finance, Sustainability, Governance & Fraud: Theory and Application*, vol. 18, S. Elkefi and S. B. Layeb, Eds. Singapore: Springer Nature, pp. 1-14., 2020.
- [20] H. Sarker, "AI-based modeling: Techniques, applications and research issues towards automation, intelligent and smart systems," *SN Computer Science*, vol. 3, no. 2, p. 158, 2022.
- [21] J. Alkhatib et al., "Diagnosing brain tumors from MRI images through a multi-fused CNN with auxiliary layers," *Sustainable Machine Intelligence Journal*, vol. 6, 2024.
- [22] M. Ali and A. Abdelhafeez, "DeepHAR-Net: A novel machine intelligence approach for human activity recognition from inertial sensors," *Sustainable Machine Intelligence Journal*, vol. 1, 2022.
- [23] Alrashdi and A. Alqazzaz, "Synergizing AI, IoT, and blockchain for diagnosing pandemic diseases in smart cities: Challenges and opportunities," *Sustainable Machine Intelligence Journal*, vol. 7, 2024.
- [24] Elhenawy, S. F. AL-baker and M. Mohamed, "Intelligent healthcare: Evaluation potential implications of Metaverse in healthcare based on mathematical decision-making framework," *Neutrosophic Systems with Applications*, vol. 12, pp. 9-21, 2023.
- [25] M. A. Alsalem, A. H. Alamoodi, O. S. Albahri, A. S. Albahri, L. Martínez, R. Yera et al., "Evaluation of trustworthy artificial intelligent healthcare applications using multi-criteria decision-making approach," *Expert Systems with Applications*, vol. 246, p. 123066, 2024.
- [26] S. Abdollahi and R. Safa, "Machine learning and AI for advancing Parkinson's disease diagnosis: Exploring promising applications," *Big Data and Computing Visions*, vol. 4, no. 1, pp. 12-21, 2024.
- [27] Z. Yu, N. Hu, Q. Zhao, X. Hu, C. Jia, C. Zhang et al., "The willingness of doctors to adopt artificial intelligence-driven clinical decision support systems at different hospitals in China: Fuzzy set qualitative comparative analysis of survey data," *Journal of Medical Internet Research*, vol. 27, p. e62768, 2025.
- [28] F. Ebrahimzadeh and R. Safa, "Unlocking the potential of the Metaverse for innovative and immersive digital care," *arXiv preprint arXiv:2406.07114*, 2024.
- [29] M. A. Pereira and A. S. Camanho, "The 'Healthcare Access and Quality Index' revisited: A fuzzy data envelopment analysis approach," *Expert Systems with Applications*, vol. 245, p. 123057, 2024.
- [30] Y. Zheng, Z. Xu, T. Wu and Z. Yi, "A systematic survey of fuzzy deep learning for uncertain medical data," *Artificial Intelligence Review*, vol. 57, no. 9, p. 230, 2024.
- [31] P. Patil, "Healthcare Dataset," May 8, 2024.